



RECEIVED

#7

 LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)					ATTY. DOCKET NO. OCT 15 2001		APPLICATION NO.	
					10624-026-999		09/686,346	
					APPLICANT TECH CENTER 1600/2900			
					Cobb et al.			
FILING DATE					GROUP			
October 10, 2000					1001 1652			
U.S. PATENT DOCUMENTS								
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
re-re.	AA	6,165,461	December 26, 2000	Cobb et al.	424	94.5		
FOREIGN PATENT DOCUMENTS								
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES NO	
re-re.	AB	WO 99/02699	January 21, 1999	PCT	—	—		
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)								
re-re.	AC	Database EMBL Accession No. AA234623, Mar. 6, 1997						
re-re.	AD	Database EMBL Accession No. AF068864, Sep. 23, 1998						
re-re.	AE	Allen et al., 1998, "PAK2 mutation in nonsyndromic X-linked mental retardation," <i>Nature Genetics</i> 20:25-30						
re-re.	AF	Boulton et al., 1990, "An insulin-stimulated protein kinase similar to yeast kinases involved in cell cycle Control," <i>Science</i> 249:64-67						
re-re.	AG	Burbelo et al., 1995, "A conserved binding motif defines numerous candidate target proteins for both Cdc42 and Rac GTPases," <i>J. Biol. Chem.</i> 270:29071-29074						
re-re.	AH	Courchesne et al., 1989, "A putative protein kinase overcomes pheromone-induced arrest of cell cycling in <i>S. cerevisiae</i> ," <i>Cell</i> 58:1107-1119						
re-re.	AI	Creasy and Chernoff, 1995, "Cloning and characterization of a member of the MST subfamily of Ste20-like kinases," <i>Gene</i> 167:303-306						
re-re.	AJ	Elion et al., 1990, "FUS3 encodes a cdc2+/CDC28-related kinase required for the transition from mitosis into conjugation," <i>Cell</i> 60:649-664						
re-re.	AK	Hutchinson et al., 1998 "Isolation of TAO1, a protein kinase that activates MEKs in stress-activated protein kinase cascades," <i>J. Biol. Chem.</i> 273:28625-28632						
re-re.	AL	Hunter and Plowman, 1997, "The protein kinases of budding yeast: six score and more", <i>Trends Biochem. Sci.</i> 22:18-22						
re-re.	AM	Leberer et al., 1992, "The protein kinase homologue Ste20p is required to the link yeast pheromone response G-protein $\beta\gamma$ submits to downstream signaling components", <i>EMBO J.</i> 11:4815-4824						
re-re.	AN	Marra et al., 1996 genban-est111 database, Accession No. g1541866						
re-re.	AO	Ramer and Davis, 1993, "A dominant truncation allele identifies a gene, STE20, that encodes a putative kinase necessary for mating in <i>Saccharomyces cerevisiae</i> ", <i>Proc. Natl. Acad. Sci. USA</i> 90:452-456						
re-re.	AP	Rhodes et al., 1990, "STE11 is a protein kinase required for cell-type-specific transcription and signal transduction in yeast," <i>Genes Dev.</i> 4:1862-1874						
re-re.	AQ	Robinson et al., 1996, "Contributions of the mitogen-activated protein (MAP) kinase backbone and phosphorylation loop to MEK specificity", <i>J. Biol. Chem.</i> 271:29734-29739						
re-re.	AR	Su et al., 1997, "NIK is a new Ste20-related kinase that binds NCK and MEKK1 and activates the SAPK/JNK cascade via a conserved regulatory domain", <i>EMBO J.</i> 16:1279-1290						



Teague et al., 1986, "Nucleotide sequence of the yeast regulatory gene STE7 predicts a protein homologous to protein kinases", *Proc. Natl. Acad. Sci. USA* 83:7371-7375

Wu et al., 1995, "Molecular characterization of Ste20p, a potential mitogen-activated protein or extracellular signal-regulated kinase kinase (MEK) kinase kinase from *Saccharomyces cerevisiae*", *J. Biol. Chem.* 270:15984-15992

EXAMINER

R.H.

DATE CONSIDERED

5/27/2003

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

OCT 15 2001

TECH CENTER 1600/2900